

result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 14:13:15 ON 31 JUL 2007

=> file reg

COST IN U.S. DOLLARS

SINCE FILE
ENTRY

TOTAL
SESSION

FULL ESTIMATED COST

0.21

0.21

updated search

FILE 'REGISTRY' ENTERED AT 14:13:31 ON 31 JUL 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 30 JUL 2007 HIGHEST RN 943719-65-1

DICTIONARY FILE UPDATES: 30 JUL 2007 HIGHEST RN 943719-65-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>Testing the current file.... screen


ENTER SCREEN EXPRESSION OR (END):end

=> screen 1006

L1 SCREEN CREATED

=>

Uploading C:\Program Files\Stnexp\Queries\10560764new.str



chain nodes :

```
Match level :
1:CLASS  2:CLASS  3:CLASS  4:CLASS  5:CLASS  6:CLASS  7:Atom  8:Atom  9:Atom
10:Atom  11:Atom  12:Atom  13:Atom  14:CLASS  15:CLASS  16:CLASS  17:CLASS
18:CLASS  19:CLASS  20:Atom  21:Atom  22:Atom  23:Atom  24:Atom  25:Atom  26:Atom
27:Atom
```


=> que L2 AND L1

L3 QUE L2 AND L1

=> d L2

L2 HAS NO ANSWERS

L2 STR



=> s L2 full

FULL SEARCH INITIATED 14:14:02 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 4982 TO ITERATE

100.0% PROCESSED 4982 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

L2 STRUCTURE UPLOADED


=> que L2 AND L1

L3 QUE L2 AND L1

=> d L2

L2 HAS NO ANSWERS

L2 STR



G1 MeO, EtO, n-PrO, i-PrO, n-BuO, i-BuO, s-BuO, t-BuO

Structure attributes must be viewed using STN Express query preparation.

=> s L2 full

FULL SEARCH INITIATED 15:50:19 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 3088 TO ITERATE

100.0% PROCESSED 3088 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

L4 0 SEA SSS FUL L2

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY



SESSION

FULL ESTIMATED COST

172.10

172.31

STN INTERNATIONAL LOGOFF AT 15:50:26 ON 31 JUL 2007



chain nodes :
 7 8 9 10 11 12 13 20 21 22 23 24 25 26 30
 ring nodes :
 1 2 3 4 5 6 14 15 16 17 18 19
 chain bonds :
 1-7 7-8 8-9 8-10 10-11 10-13 11-12 12-14 20-22 20-26 21-22 21-24 22-23
 23-25 23-30
 ring bonds :
 1-2 1-6 2-3 3-4 4-5 5-6 14-15 14-19 15-16 16-17 17-18 18-19
 exact/norm bonds :
 8-10 10-13 12-14 21-22 21-24 23-25 23-30
 exact bonds :
 1-7 7-8 8-9 10-11 11-12 20-22 20-26 22-23
 normalized bonds :
 1-2 1-6 2-3 3-4 4-5 5-6 14-15 14-19 15-16 16-17 17-18 18-19

G1:MeO,EtO,n-PrO,i-PrO,n-BuO,i-BuO,s-BuO,t-BuO

Match level :
 1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:Atom 8:Atom 9:Atom
 10:Atom 11:Atom 12:Atom 13:Atom 14:CLASS 15:CLASS 16:CLASS 17:CLASS
 18:CLASS 19:CLASS 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom
 30:Atom

L2 STRUCTURE UPLOADED


=> que L2 AND L1

L3 QUE L2 AND L1

=> d L2

L2 HAS NO ANSWERS

L2 STR



G1 MeO, EtO, n-PrO, i-PrO, n-BuO, i-BuO, s-BuO, t-BuO

Structure attributes must be viewed using STN Express query preparation.

=> s L2 full

FULL SEARCH INITIATED 15:50:19 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 3088 TO ITERATE

100.0% PROCESSED 3088 ITERATIONS

0 ANSWERS

SEARCH TIME: 00.00.01

L4 0 SEA SSS FUL L2

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

172.10

172.31

STN INTERNATIONAL LOGOFF AT 15:50:26 ON 31 JUL 2007

result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 14:13:15 ON 31 JUL 2007

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 14:13:31 ON 31 JUL 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 30 JUL 2007 HIGHEST RN 943719-65-1

DICTIONARY FILE UPDATES: 30 JUL 2007 HIGHEST RN 943719-65-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>Testing the current file.... screen


ENTER SCREEN EXPRESSION OR (END):end

=> screen 1006

L1 SCREEN CREATED

=>

Uploading C:\Program Files\Stnexp\Queries\10560764new.str



chain nodes :

7 8 9 10 11 12 13 20 21 22 23 24 25 26 27
 ring nodes :
 1 2 3 4 5 6 14 15 16 17 18 19
 chain bonds :
 1-7 7-8 8-9 8-10 10-11 10-13 11-12 12-14 20-22 20-27 21-22 21-24 22-23
 23-25 23-26
 ring bonds :
 1-2 1-6 2-3 3-4 4-5 5-6 14-15 14-19 15-16 16-17 17-18 18-19
 exact/norm bonds :
 8-10 10-13 12-14 21-22 21-24 23-25 23-26
 exact bonds :
 1-7 7-8 8-9 10-11 11-12 20-22 20-27 22-23
 normalized bonds :
 1-2 1-6 2-3 3-4 4-5 5-6 14-15 14-19 15-16 16-17 17-18 18-19

Match level :
 1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:Atom 8:Atom 9:Atom
 10:Atom 11:Atom 12:Atom 13:Atom 14:CLASS 15:CLASS 16:CLASS 17:CLASS
 18:CLASS 19:CLASS 20:Atom 21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom
 27:Atom

L2 STRUCTURE UPLOADED


=> que L2 AND L1

L3 QUE L2 AND L1

=> d L2

L2 HAS NO ANSWERS

L2 STR



Structure attributes must be viewed using STN Express query preparation.

=> s L2 full

FULL SEARCH INITIATED 14:14:02 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 4982 TO ITERATE

100.0% PROCESSED 4982 ITERATIONS

SEARCH TIME: 00.00.01

0 ANSWERS

L4 0 SEA SSS FUL L2

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

172.55

172.76

STN INTERNATIONAL LOGOFF AT 14:14:37 ON 31 JUL 2007

result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 08:20:35 ON 31 JUL 2007

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 08:20:49 ON 31 JUL 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 30 JUL 2007 HIGHEST RN 943719-65-1

DICTIONARY FILE UPDATES: 30 JUL 2007 HIGHEST RN 943719-65-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>Testing the current file.... screen


ENTER SCREEN EXPRESSION OR (END):end

=> screen 1006

L1 SCREEN CREATED

=>

Uploading C:\Program Files\Stnexp\Queries\10560764amdt.str



chain nodes :

1 2 3 4 5 6 13 14 15 16 17 18 19 20

ring nodes :

7 8 9 10 11 12

chain bonds :

1-2 1-3 1-4 4-5 4-20 5-6 6-7 10-13 13-14 14-15 14-18 15-16 15-17 18-19

ring bonds :

7-8 7-12 8-9 9-10 10-11 11-12

exact/norm bonds :

1-2 1-4 4-20 6-7 14-18 15-16 15-17 18-19

exact bonds :

1-3 4-5 5-6 10-13 13-14 14-15

normalized bonds :

7-8 7-12 8-9 9-10 10-11 11-12

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS
11:CLASS 12:CLASS 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:Atom 19:Atom
20:Atom

L2 STRUCTURE UPLOADED


=> que L2 AND L1

L3 QUE L2 AND L1

=> d L2

L2 HAS NO ANSWERS

L2 STR



Structure attributes must be viewed using STN Express query preparation.

=> s L2 full

FULL SEARCH INITIATED 08:21:22 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 4581 TO ITERATE

100.0% PROCESSED 4581 ITERATIONS

SEARCH TIME: 00.00.01

L4 35 SEA SSS FUL L2

=> file caplus

COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE

ENTRY

172.10

TOTAL

SESSION

172.31

FILE 'CAPLUS' ENTERED AT 08:21:28 ON 31 JUL 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 31 Jul 2007 VOL 147 ISS 6
FILE LAST UPDATED: 30 Jul 2007 (20070730/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

```
=> s L4
L5          8 L4

=> s N-substitution/rn
          0 N-SUBSTITUTION
L6          0 N-SUBSTITUTION/RN
          (N-SUBSTITUTION)

=> s N-alkylation
          3064513 N
          99213 ALKYLATION
          2626 ALKYLATIONS
          99788 ALKYLATION
          (ALKYLATION OR ALKYLATIONS)
L7          6613 N-ALKYLATION
          (N(W)ALKYLATION)

=> s L5 and L7
L8          0 L5 AND L7

=> s N-benylation
          3064513 N
          10225 BENZYLATION
          59 BENZYLATIONS
          10237 BENZYLATION
          (BENZYLATION OR BENZYLATIONS)
L9          417 N-BENZYLATION
          (N(W) BENZYLATION)

=> s L9 and L5
L10         0 L9 AND L5


=> s bromohexane
          1425 BROMOHEXANE
          6 BROMOHEXANES
L11         1429 BROMOHEXANE
          (BROMOHEXANE OR BROMOHEXANES)

=> s L5 and L11
L12         4 L5 AND L11
```

=> d L12 1-4 bib abs

L12 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN
AN 2006:605020 CAPLUS
DN 145:83115
TI Preparation of tris(hydroxymethyl)methylamine and ethanolamine salts of
(2S)-2-ethoxy-3-(4-{2-[hexyl(2-phenylethyl)amino]-2-
oxoethoxy}phenyl)propanoic acid for treating lipid disorders
IN Booth, Rebecca J.; Dahlstroem, Mikael
PA AstraZeneca AB, Swed.
SO PCT Int. Appl., 39 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2006065214	A1	20060622	WO 2005-SE1916	20051214
	W:				
	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW:				
	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
PRAI	SE 2004-3072	A	20041216		
GI					



AB The invention relates to a compound selected from one or more of the following: a tris(hydroxymethyl)methylamine salt or an ethanolamine salt of title compound I or a pharmaceutical composition comprising the compound

Thus I was prepared in 4 steps from Et (S)-2-ethoxy-3-(4-hydroxyphenyl)propanoate, benzyl bromoacetate, and N-hexyl-2-phenylethylamine. X-ray powder diffraction patterns for bot salts of I are given. Both salts have an EC50 of less than 0.5 $\mu\text{mol/l}$ for PPAR α .

RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN
AN 2004:1127321 CAPLUS
DN 142:49239
TI Pharmaceutically useful salts (2S)-2-ethoxy-3-(4-{2[hexyl(2-phenylethyl)amino]-2-oxoethoxy}phenyl)propanoic acid, preparation thereof, and therapeutic use
IN Ragnar, Ralf; Stahle, Erica
PA Astrazeneca AB, Swed.
SO PCT Int. Appl., 38 pp.
CODEN: PIXXD2
DT Patent

LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004110985	A1	20041223	WO 2004-SE965	20040616
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU 2004247611	A1	20041223	AU 2004-247611	20040616
	CA 2527608	A1	20041223	CA 2004-2527608	20040616
	EP 1638921	A1	20060329	EP 2004-736956	20040616
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
	BR 2004011455	A	20060718	BR 2004-11455	20040616
	CN 1805922	A	20060719	CN 2004-80016838	20040616
	JP 3836498	B2	20061025	JP 2006-517040	20040616
	JP 2006527767	T	20061207		
	US 2006194879	A1	20060831	US 2005-560127	20051209
	NO 2005005923	A	20060106	NO 2005-5923	20051213
	MX 2005PA13713	A	20060627	MX 2005-PA13713	20051215
PRAI	GB 2003-14136	A	20030618		
	WO 2004-SE965	W	20040616		


AB The invention discloses a calcium or magnesium salt of (2S)-2-ethoxy-3-(4-{2[hexyl(2-phenylethyl)amino]-2-oxoethoxy}phenyl)propanoic acid. Compds. of the invention (preparation included) may be used to treat e.g. dyslipidemia and type 2 diabetes.

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN
AN 2004:1127320 CAPLUS
DN 142:49238
TI Pharmaceutically useful salts of (2S)-2-ethoxy-3-[4-(2-(hexyl(2-phenylethyl)amino)-2-oxoethoxy)phenyl]propanoic acid, their preparation, and their therapeutic use
IN Aurell, Carl-Johan; Dahlstroem, Mikael; Lindstedt-Alstermark, Eva-Lotte; Minidis, Anna; Ohlsson, Bengt; Stahle, Erica
PA Astrazeneca AB, Swed.
SO PCT Int. Appl., 47 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004110984	A1	20041223	WO 2004-SE964	20040616
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				

AU 2004247610	A1	20041223	AU 2004-247610	20040616	
CA 2528932	A1	20041223	CA 2004-2528932	20040616	
EP 1638922	A1	20060329	EP 2004-749009	20040616	
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR					
CN 1809529	A	20060726	CN 2004-80016948	20040616	
BR 2004011525	A	20060801	BR 2004-11525	20040616	
JP 3822900	B2	20060920	JP 2006-517039	20040616	
JP 2006527766	T	20061207			
NO 2005005922	A	20060106	NO 2005-5922	20051213	
US 2006142389	A1	20060629	US 2005-560657	20051213	
MX 2005PA13714	A	20060627	MX 2005-PA13714	20051215	
PRAI GB 2003-14129	A	20030618			
WO 2004-SE964	W	20040616			
AB The invention discloses salts of (2S)-2-ethoxy-3-[4-(2-(hexyl(2-phenylethyl)amino)-2-oxoethoxy)phenyl]propanoic acid e.g. the L-arginine salt. Preparation of compds. of the invention is described. The compds. of the invention are useful in the treatment of e.g. dyslipidemias and other manifestations of the metabolic syndrome.					
RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD					
ALL CITATIONS AVAILABLE IN THE RE FORMAT					
L12 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN					
AN 2004:1127318 CAPLUS					
DN 142:56001					
TI Preparation of (2S)-3-(4-{2-[amino]-2-oxoethoxy}phenyl)-2-ethoxypropanoic acid derivatives					
IN Aurell, Carl-Johan; Macedo, Emmanuel; Minidis, Anna; Yousefi-Salakdeh, Esmail					
PA Astrazeneca Ab, Swed.					
SO PCT Int. Appl., 16 pp.					
CODEN: PIXXD2					
DT Patent					
LA English					
FAN.CNT 1					
	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004110982	A1	20041223	WO 2004-SE966	20040616
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, VZ, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU 2004247612	A1	20041223	AU 2004-247612	20040616
	CA 2528933	A1	20041223	CA 2004-2528933	20040616
	EP 1638920	A1	20060329	EP 2004-736958	20040616
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, HR				
	CN 1809528	A	20060726	CN 2004-80017131	20040616
	BR 2004011558	A	20060801	BR 2004-11558	20040616
	JP 3822901	B2	20060920	JP 2006-517041	20040616
	JP 2006527768	T	20061207		
	NO 2005005924	A	20060105	NO 2005-5924	20051213
	US 2006142392	A1	20060629	US 2005-560764	20051213
	MX 2005PA13715	A	20060308	MX 2005-PA13715	20051215
PRAI	GB 2003-14134	A	20030618		
	WO 2004-SE966	W	20040616		
OS MARPAT 142:56001					
GI					



AB The present invention provides a process for preparation of the title compds. I (R = H, R1 = n-C6H13) by reacting I (R = H, or protecting group, R1 = H) with C6H13X (X = leaving group) in the presence of a base and inert solvent at a temperature in the range -25°C to 150°C and optionally, when OR represents a protecting group, removal of the protecting group.

RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	26.20	198.51
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-3.12	-3.12

STN INTERNATIONAL LOGOFF AT 08:25:11 ON 31 JUL 2007